

CS 310 Data Structures
Programming Assignment 2
Fall 2009

Due Wednesday, Oct. 21 at midnight

This assignment aims to help you:

- Learn about hashing, in two important variations.
- Do some refactoring of class relationships.
- See what `AbstractCollection` and `AbstractMap` are good for.
- Do actual timings to check the claim of $O(1)$ lookup by hashing.

Read Weiss Chap. 20, except the `HashMap` code.

1. Download Weiss's `HashSet<E>`, and delete the imports with "weiss" in them. Use package `cs310.util` instead of `weiss.util`. The sources should therefore be in `src/cs310/util`. Delete the non-standard method `getMatch()`. Add back imports to JDK interfaces and the JDK classes `AbstractCollection<E>` and exception classes, until it compiles. Be sure to *not* import the JDK `HashSet` (no `*` in JDK imports!). Test it with a little `TestSet` program like Fig. 6.27, pg. 231.
2. Download `MapDemo` from Chap. 6, minimally modify it to use `HashMap`, again replacing all "weiss" imports. Use the package `cs310.client` for this client code, so put the source in `src/cs310/client`. Then turn `MapDemo` into a better `TestMap` class, additionally calling `remove`, `keySet`, and `values`. Make sure it handles exceptions and prints out what happens, but goes on testing anyway. Give `TestMap` a constructor with a `Map` argument, make `printMap` an object method, and put the rest of the testing code in method `test()`, which calls `printMap` at its end. Then `main` just calls the constructor, then `test()` on that object, and requires no command arguments. Have it construct and test `TestMaps` for `java.util.HashMap` and `java.util.TreeMap`.
3. Weiss implements `HashSet` (with `getMatch`) and then uses that implementation to implement `HashMap`. This is backwards to the way the JDK does it. Maps are more powerful than Sets, so we should implement `Map`, and then use it to implement `Set`, just as the JDK does. Then we don't need an "extra" method (`getMatch` of Weiss's `Set`) to make it work. Implement your own `HashMap` class `HashMap1`, in package `cs310.util`. Start by copying `HashSet.java` to `HashMap1.java`, since that's where the real implementation code (involving the array of `HashMapEntry`) goes now. `HashMap1` should not extend Weiss's `MapImpl`, because that assumes `Set` has `getMatch`, a non-standard method. Instead, it should directly extend JDK's `AbstractMap<K,V>`. Be sure to read the JDK documentation for `AbstractMap` to see what methods you need to implement, including ones already implemented but not using the power of hashing. Make sure you end up with fast $O(1)$ `get`, `put`, and `remove`. You can get useful code out of `MapImpl` (pp. 691-696). For this problem, have `keySet()`, `values()`, and `entrySet()` throw `UnsupportedOperationException`. Be sure to fix the Javadoc header comments in `HashMap1` as well as the code! You can copy header comments from Weiss's `MapImpl`, or make up your own. Test it with `TestMap` from problem 2, edited to additionally construct and test a `HashMap1`.
4. Write `HashSet1` (in package `cs310.util`) based on `HashMap1` as simply as possible without giving up the power of hashing for $O(1)$ actions. `HashSet1` ISA `AbstractCollection`, and HASA `HashMap1`, with keys but unused (null) values. Test it with `TestSet`, edited to construct a `HashSet1` as well as a `HashSet`.
5. Do one of the following and understand the solution for the other:
 - a. Implement separate chaining. Call your class `HashMap2`, starting from `HashMap1` of problem 3. Test it with `TestMap`, edited to additionally construct a `HashMap2`.
 - b. Finish `HashMap1` by implementing `keySet()`, `values()`, and `entrySet()`. First implement `keySet()` by following the general setup in `MapImpl`, pg. 695, except that `keySetIterator`'s implementation needs to look like iterator in `HashSet` of problem 1, that is, work directly from the hashtable array. Then you can use that iterator to scan the underlying data and implement iterators for values and `Map.Entry`'s. For `entrySet`, you'll

need another private class... extends ViewClass..., not shown on pg. 695 because in Weiss's setup, the whole thing is built on such a Set.

6. Write a `cs310.client.TestMapPerf` class that (in a method called `timeTest`) times n random gets from 3 different sized Maps, using maps from line number to String word loaded from "words", the dictionary file we used for pa1 (Use implementation ideas from pa1, but a different data structure, of course). Case 0 has line numbers 0, 4, 8, 12, ..., case 1 has 0, 2, 4, 6, ..., and case 2 has all the lines. Generate $n=10,000$ random numbers. For each number get the line number and word from each of the 3 maps. Print out the number of milliseconds (ms) for the 10,000 gets for each case. Different computers perform differently, so if the times are not (mostly) between 200 ms and 2000 ms (2 seconds) for each test case, go to 100,000 gets or 1000 gets to bring the times into this range, for sufficient accuracy and not-too-long runs. Report the class (HashMap or whatever), the case number (0, 1, or 2), the time (ms), the number of gets, and the microseconds/get for each test, a total of 12 lines of output. Note that the Date class can do these timings and `java.util.Random` can generate a sequence of random numbers in the desired range. The `TestMapPerf` constructor takes an empty Map and its `timeTest()` method takes a filename. The main creates Maps using `HashMap1` and `HashMap2`, `java.util.HashMap`, and `java.util.TreeMap` and tests all of them with the argued file. Usage: `java TestMapPerf 10000 words` (for $n=10000$, the starting case)

Implementation Notes

In the JDK, Collection does not implement Serializable, so you can drop this implements clause and avoid the annoying warnings about ids for the classes.

`HashEntry` is not generic in Weiss's code, which makes it easier to create an array of `HashEntry`, since arrays of generic types can only be created by a trick shown on pg. 138, lines 37-38. With a non-generic `HashEntry`, you end up having to cast now and then, for example, on line 32 of pg 734. But as long as you realize this cast is OK and expected, it's no real problem.

For help on generics, see "Notes on Generics" under Resources on the class web page.

In the file `memo.txt`, answer (shortly) the following questions, in one to three pages (60-180 lines) of text.

1. State whether you implemented 5a. or 5b.
2. Discuss your experiences in writing these programs. What was the hardest part for you?
3. Explain how JDK documentation for `AbstractMap` guided you to decide which methods you needed to implement in your `HashMap2` class for fast get, put, and remove, plus working other methods.
4. Does your `HashSet1` prove that any Map implementation can be turned into a Set application (with the help of `AbstractCollection`)? Why or why not?
5. Report on experiments with `TestMap`. Does your data agree with the $O(1)$ claim of hashing?

Delivery

Before the due date, assemble files in the `pa2` subdirectory of your provided `cs310` directory on our UNIX site. The `pa2` directory should contain the `src` and `classes` subdirectories (similar to `pa1`). The `src` subdirectory should contain two subdirectories `client` and `util`. The source files are as follows:

- `memo.txt` (plain txt file)
- `cs310.util.HashSet.java`
- `cs310.client.TestSet.java` Usage: `java cs310.client.TestSet`
- `cs310.client.TestMap.java` Usage: `java cs310.client.TestMap`
- `cs310.util.HashMap1.java` (with working `keySet`, etc. if doing 5b)
- `cs310.util.HashSet1.java`
- `cs310.util.HashMap2.java`, if doing 5a
- `cs310.client.TestMapPerf.java` Usage: `java cs310.client.TestMapPerf 10000 words`