

```
1 // Example 3.3 joi/examples/BreakAndContinueDemo.java
2 /**
3  * Copyright 2003 Bill Campbell and Ethan Bolker
4 */
5 public class BreakAndContinueDemo
6 {
7     private static Terminal t = new Terminal();
8
9     public static void main( String[] args )
10    {
11        t.println("invoking loop");
12        BreakAndContinueDemo.loop(); // could say just loop();
13        t.println("returned from loop, leaving main");
14    }
15
16    private static void loop()
17    {
18        t.println("starting infinite loop");
19        while( true ) {
20            String command = t.readWord(
21                "normal, break, continue, return, exit, oops ? > ");
22            if (command.startsWith("n")) {
23                t.println("normal flow of control");
24            }
25            if (command.startsWith("b")) {
26                t.println("break from looping");
27                break;
28            }
29            if (command.startsWith("c")) {
30                t.println("continue looping");
31                continue;
32            }
33            if (command.startsWith("r")) {
34                t.println("return prematurely from loop method");
35            }
36            return;
37        }
38        if (command.startsWith("e")) {
39            t.println("exit prematurely from program");
40            System.exit(0);
41        }
42        if (command.startsWith("o")) {
43            t.println("program about to crash . . . ");
44            Terminal foo = null;
45            foo.println("crash the program");
46        }
47        t.println("last line in loop body");
48    }
49    t.println("first line after loop body");
50    t.println("returning normally from loop method");
51}
52}
```